

MAGNUS

RESILIENT FLOORING



RESILIENT FLOORING



Worldwide No 1 in Flooring



ABOUT IVC GROUP



01 Europe's leading manufacturer of LVT, sheet vinyl and carpet tiles. Since 2015, IVC Group has been part of Mohawk Industries Inc., the world's number 1 in floor covering.

02 IVC Group facts and figures:

- established in **1997**
- **10** production lines in Belgium, Luxembourg, the US and Russia
- modern **Flooring Development Center** headquarters in Waregem, Belgium
- over **180 million m²** flooring per year
- over **20 million m²** storage capacities

With IVC flooring, you'll find stunning floors with the ultimate waterproof protection and the most durable construction, created with entirely uncompromised design



MAGNUS
RESILIENT FLOORING



RESILIENT FLOORING



Calais 560

Thickness:

5 mm

Width:

2 M | 4 M

Wear Layer:

0.25 mm

Warranty:

15yrs



CALAIS 560



COMPACTBACK



15 YEARS
GUARANTEE



COMFORTABLE
UNDERFOOT



SUPER ACOUSTIC
22 dB



MADE IN BELGIUM

MAGNUS

RESILIENT FLOORING



RESILIENT FLOORING



Calais 594

Thickness:

5 mm

Width:

2 M | 4 M

Wear Layer:

0.25 mm

Warranty:

15yrs



CALAIS 594



COMPACTBACK



15 YEARS
GUARANTEE



COMFORTABLE
UNDERFOOT



SUPER ACOUSTIC
22 dB



MADE IN BELGIUM

MAGNUS
RESILIENT FLOORING



RESILIENT FLOORING



Lumber 536

Thickness:

5 mm

Width:

2 M | 4 M

Wear Layer:

0.25 mm

Warranty:

15yrs



LUMBER 536



COMPACTBACK



15 YEARS
GUARANTEE



COMFORTABLE
UNDERFOOT



SUPER ACOUSTIC
22 dB



MADE IN BELGIUM

MAGNUS

RESILIENT FLOORING



RESILIENT FLOORING



Rhapsody 582

Thickness:

5 mm

Width:

2 M | 4 M

Wear Layer:

0.25 mm

Warranty:

15yrs



RHAPSODY 582



COMPACTBACK



15 YEARS
GUARANTEE



COMFORTABLE
UNDERFOOT



SUPER ACOUSTIC
22 dB



MADE IN BELGIUM

MAGNUS
RESILIENT FLOORING



RESILIENT FLOORING



Patagonia 555

Thickness:

5 mm

Width:

2 M | 4 M

Wear Layer:

0.25 mm

Warranty:

15yrs



PATAGONIA 555



COMPACTBACK



15 YEARS
GUARANTEE



COMFORTABLE
UNDERFOOT



SUPER ACOUSTIC
22 dB



MADE IN BELGIUM

MAGNUS
RESILIENT FLOORING



RESILIENT FLOORING



Patagonia 593

Thickness:

5 mm

Width:

2 M | 4 M

Wear Layer:

0.25 mm

Warranty:

15yrs



PATAGONIA 593



COMPACTBACK



15 YEARS
GUARANTEE



COMFORTABLE
UNDERFOOT



SUPER ACOUSTIC
22 dB



MADE IN BELGIUM

MAGNUS

RESILIENT FLOORING



RESILIENT FLOORING



Sorbonne 545

Thickness:

5 mm

Width:

2 M | 4 M

Wear Layer:

0.25 mm

Warranty:

15yrs



SORBONNE 545



COMPACTBACK



15 YEARS
GUARANTEE



COMFORTABLE
UNDERFOOT



SUPER ACOUSTIC
22 dB



MADE IN BELGIUM

MAGNUS

RESILIENT FLOORING



RESILIENT FLOORING



Rhapsody 598

Thickness:

5 mm

Width:

2 M | 4 M

Wear Layer:

0.25 mm

Warranty:

15yrs



RHAPSODY 598

 COMPACTBACK

 15 YEARS GUARANTEE

 COMFORTABLE UNDERFOOT

 SUPER ACOUSTIC 22 dB



MADE IN BELGIUM

Technical Information:

Product Information

Usage Class	EN ISO 10874	23
Total Thickness	EN ISO 24346	5,00 mm
Wear layer	EN ISO 24340	0,25 mm
Wear layer Treatment		Natural Feel
Total Weight/m ²	EN ISO 23997	2.800 g/m ²

Size & Packing

Width	2 m / 4 m	
Standard Length	20 m	
Weight of Standard Roll	112 kg / 224 kg	
Slip Resistance	EN 13893	DS
Slip Restraint	EN 16165	R 10
Inflammability	EN 13501	Cfl-S1
Acoustical Insulation	ISO 717	22 dB
Underfloor Heating	EN 12524	Suitable
Thermal Conductivity	EN 12524	0,25 W / mK
Thermal Resistance	EN ISO 12466	0,0200 m ² K/W
Resistance to Household Chemicals	EN ISO 26987	Very Good
Warranty	15 Years	

*The warranty covers manufacturing defects and early wear due to normal residential use

